



| Location Feed | | Availability |
|---------------|---|--------------|
| Timestamp | Date and time of observation, in Unix format | RTB, SDK |
| Device ID | Hashed IDFA or AAID | RTB, SDK |
| Lat-Long | Latitude and Longitude of device at time of observation | RTB, SDK |
| Source | Anonymized source ID of data | RTB, SDK |

| Enhanced Location Feed adds the following | | Availability |
|---|--|---------------|
| Horizontal Accuracy | Reading of horizontal accuracy of GPS (when available) | SDK only |
| IP Address | IP address at time of observation (when available) | RTB, some SDK |
| Country Code | ISO country code (when available) | RTB, SDK |

| Complete Mobile Feed adds the following | | Availability |
|---|--|---------------|
| User Agent String | The user agent string of the default browser on the device | RTB, some SDK |
| GPS Source | Indication whether any associated lat-long point is derived from GPS, IP-lookup, registration data or unknown. Note: all feeds which contain lat-long points as outlined above only contain GPS data. RTB feeds that include all events, including non lat-long will include this field. | RTB, SDK |
| | | |
| | | |

App Name Self-reported app name. For large brand-name publishers, these can often be

PTR only

Interested in learning more?

Please reach out to us at contact@ubermedia.com or contact your UberMedia representative